



EFFECTS OF OVEREXPOSURE:

EYES - CAN CAUSE SEVERE IRRITATION, REDNESS, TEARING, BLURRED VISION.

SKIN - CAN CAUSE REDDENING, IRRITATION, DERMATITIS, POSSIBLE SENSITIZATION.

BREATHING - EXCESSIVE INHALATION OF VAPORS CAN CAUSE NASAL AND RESPIRATORY IRRITATION.

SWALLOWING - CAN CAUSE GASTROINTESTINAL IRRITATION, VOMITING, DIARRHEA, SWEATING, WEAKNESS, HEADACHE.

FIRST AID PROCEDURES:

EYE CONTACT: FLUSH WITH WATER FOR AT LEAST 15 MINUTES, LIFTING UPPER AND LOWER LIDS OCCASIONALLY. GET MEDICAL ATTENTION.

SKIN CONTACT: THOROUGHLY WASH EXPOSED AREA WITH SOAP AND WATER. REMOVE CONTAMINATED CLOTHING AND LAUNDER BEFORE RE-USE.

INHALATION: IF AFFECTED, REMOVE PERSON TO FRESH AIR. IF BREATHING IS DIFFICULT, ADMINISTER OXYGEN. IF BREATHING HAS STOPPED GIVE ARTIFICIAL RESPIRATION. KEEP WARM AND GET MEDICAL ATTENTION.

INGESTION: GIVE TWO GLASSES OF WATER TO DRINK. INDUCE VOMITING IMMEDIATELY BY STICKING FINGER DOWN THROAT OR BY GIVING AN EMETIC SUCH AS IPECAC. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. TREAT FOR SHOCK BY KEEPING WARM AND QUIET. GET MEDICAL ATTENTION IMMEDIATELY.

----- SECTION 7 - SPECIAL PRECAUTIONS AND SPILL/LEAK PROCEDURES -----

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:

NEVER USE WELDING OR CUTTING TORCH ON OR NEAR DRUM (EVEN EMPTY) BECAUSE PRODUCT VAPOR, WHEN CONCENTRATED IN THE AIR-SPACE IN THE DRUM, CAN IGNITE EXPLOSIVELY.

EMPTY CONTAINERS RETAIN PRODUCT RESIDUE AND MAY BE HAZARDOUS. OBSERVE ALL PRECAUTIONS GIVEN IN THIS DATA SHEET.

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

SMALL SPILL: ABSORB LIQUID ON VERMICULITE, OIL DRY OR OTHER ABSORBENT MATERIAL. VENTILATE AREA OF SPILL.

LARGE SPILL: ELIMINATE ALL IGNITION SOURCES (FLARES, FLAMES, INCLUDING PILOT LIGHTS, ELECTRICAL SPARKS) AS VAPOR CAN BE FLAMMABLE. PERSONS NOT WEARING PROTECTIVE EQUIPMENT SHOULD BE EXCLUDED FROM AREA OF SPILL UNTIL CLEAN-UP HAS BEEN COMPLETED. STOP SPILL AT SOURCE. DIKE AREA OF SPILL TO PREVENT SPREADING, PUMP LIQUID TO SALVAGE TANK. REMAINING LIQUID MAY BE TAKEN UP ON SAND, CLAY, EARTH, OR OIL DRY AND SHOVELED INTO CONTAINERS.

WASTE DISPOSAL METHOD:

SMALL SPILL: ALLOW VOLATILE PORTION TO EVAPORATE FROM ABSORBENT MATERIAL OUTDOORS AWAY FROM ALL SOURCES OF IGNITION. DISPOSE OF REMAINING MATERIAL IN ACCORDANCE WITH APPLICABLE STATE, LOCAL AND FEDERAL REGULATIONS.

LARGE SPILL: DESTROY BY LIQUID INCINERATION. CONTAMINATED ABSORBENT SHOULD BE DISPOSED OF IN ACCORDANCE WITH APPLICABLE STATE, LOCAL AND FEDERAL REGULATIONS.

--- SECTION 8 - PROTECTIVE EQUIPMENT ---

RESPIRATORY PROTECTION: IF OSHA LIMITS OF THE PRODUCT OR ANY COMPONENT IS EXCEEDED, A NIOSH/MSHA JOINTLY APPROVED AIR SUPPLIED RESPIRATOR IS ADVISED. HOWEVER, OSHA REGULATIONS ALSO PERMIT OTHER NIOSH/MSHA RESPIRATORS UNDER SPECIFIED CONDITIONS.

PROTECTIVE GLOVES: WEAR RESISTANT GLOVES SUCH AS: BUNA-N

EYE PROTECTION: CHEMICAL SPLASH GOGGLES OR OTHER SAFETY GLASSES IN COMPLIANCE WITH OSHA REGULATIONS.

OTHER PROTECTIVE EQUIPMENT: WEAR IMPERVIOUS CLOTHING OR APRON, AND BOOTS.

THE INFORMATION ACCUMULATED HEREIN IS BELIEVED TO BE ACCURATE BUT IS NOT WARRANTED TO BE. RECIPIENTS ARE ADVISED TO CONFIRM IN ADVANCE THAT THE INFORMATION IS CURRENT, APPLICABLE, AND SUITABLE TO THEIR CIRCUMSTANCES.