MATERIAL SAFETY DATA SHEET

COLORBACK PRODUCT NAME: FLOOR FINISH CHEMICAL FAMILY: **LAST REVISED:** 6/14/94 PHYSICAL HAZARD: **FLAMMABLE HEALTH HAZARD: IRRITANT** DAMON INDUSTRIES, INC. **HAZARD RATINGS: HEALTH: FLAMMABILITY: 1**

BOX 2120. ALLIANCE. OH 44601 24 HOUR EMERGENCY ONLY PHONE: 1-800-535-5053

0 = Insignificant 3 = Serious

1 = Slight 4 = Severe

2 = Moderate

INFORMATION PHONES: 1-800-362-9850 OR 330-821-5310

FAX: 330-821-6355

NUMBER: DMN-46

D.O.T. HAZARD CLASS: NONE

----- SECTION 2 - HAZARDOUS INGREDIENTS -----

INGREDIENT ISOPROPANOL ACGIH TLV 400 PPM **PERCENT** CAS NO. 67-63-0 OSHA PEL 400 PPM OTHER NONE 2-(2-METHOXYETHYOXY)-111-77-3 20 - 40% NONE NONE NONE ETHANOL

NOTE: NONE=NO LIMIT, N/E=LIMIT NOT ESTABLISHED, N/A=NO DATA AVAILABLE

----- SECTION 3 - PHYSICAL DATA ------

REACTIVITY: 0

BOILING POINT: 175° F. SPECIFIC GRAVITY: 0.98 VAPOR PRESSURE: 1-5 mmHg PERCENT VOLATILES: 75% VAPOR DENSITY: 2 (AIR = 1) EVAPORATION RATE: 0.5 (WATER=1)

SOLUBILITY IN WATER: COMPLETE

pH: 8.0 ± 2.0

APPEARANCE AND ODOR: CLEAR LIQUID WITH ALCOHOL

ODOR

---- SECTION 4 - FIRE AND EXPLOSION DATA ----

FLASH POINT: 75° F FOR ALCOHOL VAPORS ONLY, LIQUID IS NONFLAMMABLE

LOWER EXPLOSIVE LIMIT: 2.5%

UPPER EXPLOSIVE LIMIT: NOT AVAILABLE

EXTINGUISHING MEDIA: WATER, DRY CHEMICAL, CARBON

DIOXIDE, ALCOHOL FOAM

SPECIAL FIRE FIGHTING PROCEDURES: SELF-CONTAINED **BREATHING APPARATUS**

UNUSUAL FIRE AND EXPLOSION HAZARDS: VAPORS ARE HEAVIER THAN AIR AND MAY TRAVEL ALONG THE GROUND.

----- SECTION 5 - REACTIVITY DATA -----

STABILITY: STABLE

INCOMPATIBILITY: STRONG OXIDIZING AGENTS (EG. NITRIC ACID, PERMANGANATES, ETC.)

HAZARDOUS DECOMPOSITION PRODUCTS: CARBON

DIOXIDE, CARBON MONOXIDE.

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR.

----- SECTION 6 - HEALTH HAZARD DATA ------

THRESHOLD LIMIT VALUE (TLV): (SEE INDIVIDUAL INGREDIÈNTS).

PRIMARY ROUTES OF ENTRY:

THROUGH SKIN X INHALATION X INGESTION

EFFECTS OF OVEREXPOSURE

EYES - CAN CAUSE SEVERE IRRITATION, REDNESS, TEARING, BLURRED VISION.

SKIN - PROLONGED OR REPEATED CONTACT CAN CAUSE DEFATTING OR DERMATITIS.

BREATHING - EXCESSIVE INHALATION CAN CAUSE IRRITATION, DIZZINESS, NAUSEA, HEADACHE. **SWALLOWING - CAN CAUSE GASTROINTESTINAL** IRRITATION, NAUSEA, VOMITING, DIARRHEA.

FIRST AID PROCEDURES:

EYE CONTACT: IMMEDIATELY FLUSH WITH LARGE AMOUNT OF WATER FOR AT LEAST 15 MINUTES LIFTING UPPER AND LOWER LIDS OCCASIONALLY. GET MEDICAL ATTENTION.

SKIN CONTACT: WASH WITH SOAP AND WATER.
INHALATION: IF AFFECTED, REMOVE PERSON TO FRESH AIR. IF SYMPTOMS PERSIST GET MEDICAL ATTENTION.

INGESTION: GIVE TWO GLASSES OF WATER TO DRINK. INDUCE VOMITING IMMEDIATELY BY STICKING FINGER DOWN THROAT. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. CALL A PHYSICIAN IMMEDIATELY.

----- SECTION 7 - SPECIAL PRECAUTIONS ---------- SPILL/LEAK PROCEDURES ---

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:

EMPTY CONTAINERS RETAIN PRODUCT RESIDUE AND ARE HAZARDOUS. OBSERVE ALL PRECAUTIONS GIVEN IN THIS DATA SHEET.

DO NOT USE, POUR, SPILL OR STORE PRODUCT CONCENTRATE NEAR HEAT OR OPEN FLAME.

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

SMALL SPILL: WIPE OR MOP UP. **LARGE SPILL:** ABSORB WITH VERMICULITE OR OIL DRY.

WASTE DISPOSAL METHOD: ALLOW VOLATILE PORTION TO EVAPORATE OUTDOORS. DISPOSE OF ABSORBENT MATERIAL IN USUAL WAY.

----- SECTION 8 - PROTECTIVE EQUIPMENT -----

RESPIRATORY PROTECTION: USUALLY NONE IS REQUIRED WHEN USED AS DIRECTED.

<u>VENTILATION</u>: USUALLY THE NATURE OF USE DOES NOT REQUIRE ANY.

PROTECTIVE GLOVES: WEAR RESISTANT GLOVES SUCH AS: NEOPRENE OR RUBBER.

PROTECTION: CHEMICAL SPLASH GOGGLES IN COMPLIANCE WITH OSHA REGULATIONS. **OTHER PROTECTIVE EQUIPMENT: NONE.**

----- OTHER REGULATORY INFORMATION ------