Number: DMN0565

	Section 1 - Identifica	tion					
Product Name: Tack Back TM A dual-purpose liquid wood floor cleaner. Revised: 4/28/15							
Damon Industries, Inc. 12435 Rockhill Ave NE Alliance, Ohio 44601 U.S.A.	1-800-362-9850 1-330-821-5310 1-330-821-6355 Fax info@DamonQ.com	1-800-535-5	24 HOUR EMERGENCY RESPONSE 1-800-535-5053 (U.S. & Canada) 001-352-323-3500 (International)				
Section 2 - Hazards Identification							
Eye Dama Hazard statements: Flammable	e Liquids - Category 3; ge/ Eye Irritation - Category 2B e liquid and vapor. re irritation.						
Precautionary statements Read label before use. Keep ou If medical advice is needed, hav	t of reach of children. e product container or label at har	nd.	V				
- No smoking. Use explosion-pro	ye or face protection. Keep away f oof electrical, ventilating, lighting a utionary measures against static di	nd all material-handling	g equipment. Use only				
	mmediately all contaminated cloth th water for several minutes. Rem						
<u>Storage:</u> Store in a well-ventilate <u>Disposal:</u> Dispose of contents a international regulations.	ed place. Keep cool. nd container in accordance with al	l local, regional, nation	al and				
Se	ction 3 - Composition / Informat	ion on Ingredients					
Ingredient		C.A.S. No.	Concentration				
1-methoxy-2-propanol		107-98-2	10%				
Isopropyl alcohol		67-63-0	10%				

* This is not a trade secret of Damon Industries, it is a trade secret of the manufacturer of the ingredient.

Section 4 - First Aid Measures

Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing, lifting upper and lower eyelids occasionally. If eye irritation persists: Get medical attention. **Skin Contact:** Flush contaminated skin with plenty of water. Remove contaminated clothing and

shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean

shoes thoroughly before reuse.

Inhalation: If affected, move the affected person to fresh air. If irritation persists get medical attention. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Get medical attention immediately. Loosen tight clothing such as a collar, tie, belt or waistband. **Ingestion:** If the product is swallowed wash out mouth with water. Do NOT induce vomiting. Treat for shock by keeping warm and quiet. Get medical attention immediately.

Section 5 - Fire-Fighting Measures

Extinguishing Media: Any

Special Fire Fighting Procedures: None.

Unusual Fire And Explosion Hazards: None.

Section 6 - Accidental Release Measures

Steps To Be Taken If Material Is Released Or Spilled: Eliminate sources of ignition. Wipe or mop up small spills. Larger spills can be collected into clean pails or drums for later use or disposal or absorbed onto oil dry or vermiculite. Dike to prevent entry into drains, sewers, streams and other bodies of water.

Section 7 - Handling and Storage

Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section	- Exposure Controls / Personal Protection	

Ingredient	C.A.S. No.	Concentrati on	TWA(source)	STEL	Ceiling
Isopropyl alcohol	67-63-0	99	400 ppm(1,2,4), 200 ppm(3)	500 ppm(2,4), 400 ppm(3)	-
1-methoxy-2-propanol	107-98-2	0.0006	100 ppm(2,3,4)	150 ppm(2,3,4)	-

(1)=OSHA (2)=NIOSH (3)=ACGIH (4)=CANADA TWA=8 hour Time Weighted Average STEL=15 minute TWA Ceiling=Instantaneous Ingredients not shown either have no known limits or are below reportable levels in section 3 above.

<u>Ventilation</u>: None required when used as directed. When used as directed a change of room air of 4 times per hour should be adequate.

<u>**Respiratory Protection**</u>: None expected when used as directed. If the above exposure limits will be exceeded wear a NIOSH approved respirator with an organic vapor cartridge.

<u>Gloves:</u> If hands could contact product, wear Nitrile, rubber or latex gloves. Do not use disposable latex. **Eye Protection:** Wear safety glasses with side shields at times product could splash into eyes.

Other Protective Equipment: None.

Section 9 - Physical and Chemical Properties

Appearance and Odor: A clear, light blue liquid with alcohol-like solvent odor.			
Odor Threshold: Not Available	Vapor Pressure: <30 mmHg @ 68 °F.		
pH: concentrate 7.6 ± 0.5	Vapor Density: Less than air		
Melting Point: Not Available	Relative Density (Specific Gravity): 0.98		
Freezing Point: Not Available	Solubility(ies): Water: Partial		
Boiling Point, Initial: 212° F.	Partition coefficient: Not Available		
Boiling Range: Not Available	Auto-ignition Temperature: Not Available		
Flash Point: 104°F. (ASTM D-56 closed cup)	Decomposition Temperature: Not Available		
Evaporation Rate: ~1 (Water = 1)	Viscosity: Same as water		
Flammability: (solid, gas): Not Applicable	Volatiles Percent: 100%		
Upper Explosive Limit: None	V.O.C.: 16%		
Lower Explosive Limit: None			

Section 10 - Stability and Reactivity

Incompatibility: Oxidizing materials.

Hazardous Decomposition Products: None.

Section 11 - Toxicological Information

Primary Routes of Entry: X Skin contact; X Skin absorption; X Inhalation; X Ingestion

Potential Health Effects:

Eyes - Causes eye irritation. **Skin** - No known significant effects or critical hazards.

Swallowing - May be irritating to mouth, throat and stomach.

Breathing - No known significant effects or critical hazards.

LD₅₀: of mixture not established. The LD₅₀ of 1-methoxy-2-propanol is 6.6 g/kg (rat)

Isopropyl alcohol is 5 g/kg (rat).

Section 12 - Ecological Information

Do not dispose of unusable product in the environment. Do not allow run-off into public waterways.

Section 13 - Disposal Considerations

<u>Waste Disposal Method</u>: Should be disposed of by incineration or in an approved land fill. Do not dispose of in sewers or in the environment. Follow all local, state and federal regulations.

Section 14 - Transport Information D.O.T. Hazard Class: Not considered hazardous for D.O.T. ground shipments. Section 15 - Regulatory Information The components of this product are on the TSCA inventory of chemical substances. Section 313 Supplier Notification: This product contains the following toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-to-Know Act of 1986 and CFR 372. **Chemical Name** C.A.S. No. <u>% (w/w)</u> 1-methoxy-2-propanol 107-98-2 10% Section 16 - Other Information HMIS[®] III: NFPA: H:1 F:2 1:0 H:1 F:2 P:0 These ratings estimates are to be used only with a fully implemented training program in the workplace. NFPA® is a mark registered by the NFPA. HMIS® is a mark registered by the NPCA.

Replaces sheet dated 7/11/14. GHS conversion.

The information accumulated herein is believed to be accurate but is not warranted to be. Recipients are advised to confirm in advance that the information is current, applicable, and suitable to their circumstances.