Safety Data Sheet

Product Name: EGR Flush A liquid alkaline detergent.

1-800-362-9850 **Damon Industries, Inc.** 24 HOUR EMERGENCY RESPONSE **12435 Rockhill Ave NE** 1-330-821-5310 Alliance, Ohio 44601 1-330-821-6355 Fax 1-800-535-5053 (U.S. & Canada) U.S.A. info@DamonQ.com 001-352-323-3500 (International)

Section 1 - Identification

Section 2 - Hazards Identification

Corrosive to metals 1; Skin corrosion/irritation 1; Eye Corrosion/Irritation 1. Hazard categories: Hazard statements: May be corrosive to metals. Causes severe skin burns and serious eye damage. Signal word: Danger Pictogram: Corrosion.

Precautionary statements

Prevention

Keep only in original container. Do not breath dusts or mists. Wash hands thoroughly after handling. Wear protective gloves such as latex. Wear eye protection such as safety glasses with side shields.

Response

IF SWALLOWED: Rinse mouth. Do not induce vomiting.

IF ON SKIN (OR HAIR): Take off immediately all contaminated clothing before reuse. Rinse skin with water. Wash contaminated clothing before reuse.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER for medical advice.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER.

Absorb spillage to prevent material damage.

Storage: Store in corrosive resistant container with a resistant inner liner. Store locked up. Disposal: None.

Section 3 - Composition / Information on Ingredients					
Ingredient	C.A.S. No.	Concentration			
Water	7732-18-5	73%			
Sodium hydroxide	1310-73-2	20%			
Ethanol, 2-(2-methoxyethoxy)-	111-77-3	4%			
Alkylpolyglcoside C8-C10	68515-73-1	2%			
The remaining ingredients are not reportable as desc	cribed in Appendix D to Sec. 1910.1	200 Table D.1.			

Section 4 - First Aid Measures

Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing, lifting upper and lower eyelids occasionally. Get medical attention immediately.

Skin Contact: With concentrate and strong (1:10) solutions immediately flush exposed skin with running water for 15 minutes. Remove contaminated clothing and shoes immediately. With milder solutions remove contaminated clothing and wash exposed skin with soap and water. If irritation persists, get medical attention. Wash contaminated clothing before reuse. If spilled concentrate or solutions of 1:10 or more are allowed to remain on clothing or in shoes, considerable damage to skin could occur over a period of time.

Inhalation: Move the affected person to fresh air. If irritation persists get medical attention.

Ingestion: If the product is swallowed, do NOT induce vomiting. If the affected person is conscious, give a glass of water or milk to drink. Get medical attention immediately.

Section 5 - Fire-Fighting Measures

Extinguishing Media: Any Unusual Fire And Explosion Hazards: None.

Special Fire Fighting Procedures: None.

Section 6 - Accidental Release Measures

Steps To Be Taken If Material Is Released Or Spilled: Small spills of a few gallons may be cleaned up with a rag or mop. Larger spills should diked to prevent spreading and then collected into clean pails or drums.



Revised: 8/17/15

Number: DMN0575

Section 7 - Handling and Storage

Empty containers retain product residue and may be hazardous. Observe all precautions given in this data sheet. Keep from freezing. Do not weld or cut on or around drums or totes. The vapors inside may be flammable.

Section 8 - Exposure Controls / Personal Protection						
Ingredient	C.A.S. No.	Concentration	TWA(source)	STEL	Ceiling	
Sodium hydroxide	1310-73-2		2 mg/m ³ (1)	-	2 mg/m ³ (2,3,4)	
(1)=OSHA (2)=NIOSH (3)=ACGIH	(4)=CANADA TW	A=8 hour Time V	eighted Average	STEL=15 minute TWA	Ceiling=Instantaneous	

Ingredients not shown either have no known limits or are below reportable levels in section 3 above.

Ventilation: Good room ventilation. Mechanical ventilation is normally not required.

Respiratory Protection: None except when spraying overhead or using in enclosed spaces. Overhead spraying requires the use a NIOSH approved respirator with an organic vapor cartridge to avoid inhaling mist. Use in enclosed, poorly ventilated spaces requires a respirator and may require self-contained breathing apparatus. If trigger sprayer mist is a problem use a nuisance-dust mask to stop airborne droplets from being inhaled. **Gloves:** Use rubber or latex gloves when handling concentrate or strong dilutions. Persons with sensitive skin or who use the product for prolonged periods may wish to use rubber or latex gloves when using any dilution. Use disposable latex gloves only with dilutions of 1:20 or greater.

Eye Protection: Some uses of diluted product do not require eye protection although the use of safety glasses, especially for contact lens wearers, is always suggested. Concentrate or strong (1:10) solutions require safety glasses with side shields. Overhead spraying requires, at minimum, goggles or a face shield, or if spray will fall on the user, full head and body protection. Each job should be evaluated before use.

<u>Other Protective Equipment</u>: An eyewash station should be located within 10 seconds travel time of concentrate use/mixing area and where solutions of 1:10 or stronger are used. Wear an apron when hand pouring concentrate. When 1:10 or stronger solutions are used, the use of aprons, boots and impervious clothing should be evaluated. Their use would be indicated if splashing of the solution is likely.

Section 9 - Physical and Chemical Properties

Appearance and Odor: Tan liquid with mild odor.	
Odor Threshold: Not Available	Vapor Pressure: Not Available
pH: concentrate 13.5 ± 0.5	Vapor Density: Not Available
Melting Point: Not Available	Relative Density (Specific Gravity): 1.0
Freezing Point: Not Available	Solubility(ies): Water: 100%
Boiling Point, Initial: 215° F.	Partition coefficient: Not Available
Boiling Range: Not Available	Auto-ignition Temperature: Not Available
Flash Point: None. (ASTM D-56 closed cup)	Decomposition Temperature: Not Available
Evaporation Rate: ~1 (Water = 1)	Viscosity: Same as water
Flammability: (solid, gas): Not Applicable	Volatiles Percent: 65%
Upper Explosive Limit: None	V.O.C.: 4% - 55 grams/liter
Lower Explosive Limit: None	

Section 10 - Stability and Reactivity

Incompatibility: None

Hazardous Decomposition Products: None

Section 11 - Toxicological Information

Primary Routes of Entry: X Skin contact; Skin absorption; X Inhalation; X Ingestion

Potential Health Effects:

Eyes - concentrate and strong solutions cause eye damage. Milder solutions cause irritation and redness. **Skin** - prolonged contact with concentrate and strong solutions can cause serious skin irritation. There is little or no effect if rinsed off thoroughly right away. Milder solutions cause irritation.

Swallowing - may result in damage to mucous membranes and gastrointestinal irritation.

Breathing - excessive inhalation of mist or spray can cause coughing and irritation of nose and throat.

Section 12 - Ecological Information

When scrubbing outdoors or where run-off will enter a storm sewer, flood the cleaned area with plenty of water to dilute and reduce the pH of the run-off. Do not use more product than necessary. Do not dispose of unusable product in the environment. Be sure to comply with any applicable regulations.

Section 13 - Disposal Considerations

<u>Waste Disposal Method</u>: Dispose of up to 2 gallons of concentrate in the sanitary sewer with a large amount of water. Larger amounts must be neutralized to within the pH limits of your waste water treatment system.

Section 14 - Transport Information				
D.O.T. Hazard Class: Corrosive Liquid, Basic, Inorganic, N.O.S. (Contains sodium hydroxide), 8 UN 3266, P.G. II				
Section 15 - Regulatory Information				
The components of this product are on the TSCA inventory of chemical substances.				
Section 16 - Other Information				
NFPA: H:2 F:0 I:0 HMIS[®] III: H:3 F:1 P:0 These ratings estimates are to be used only with a fully implemented training program in the workplace. NFPA [®] is a mark registered by the NFPA. HMIS [®] is a mark registered by the NPCA.				

The information accumulated herein is believed to be accurate but is not warranted to be. Recipients are advised to confirm in advance that the information is current, applicable, and suitable to their circumstances.