



SLUFF® II

SPRAY & WIPE GERMICIDAL CLEANER & DEODORANT

Fresh-scented foaming aerosol

Kills HIV-1, Influenza A3, Herpes Simplex 1 & 2 Viruses *

Kills odor-causing bacteria and deodorizes surfaces

Prevents Mold and Mildew on hard non-porous surfaces

Description: A fresh-scented foaming spray and wipe aerosol cleaner and germicide. Its ammoniated clinging foam cleans grease and grime quickly with no rinse required on non-food contact surfaces. Save time and money because no other chemicals or equipment are needed. Sluff disinfects and deodorizes as it cleans, leaving a fresh fragrance. Sluff is nonabrasive and will not harm hard washable surfaces. Prevents mold and mildew on hard non-porous surfaces. If used on food surfaces, surfaces must be scrubbed with a detergent and rinsed with potable water before reusing.

Uses: For use in hospitals, nursing homes, schools, hotels, motels, restaurants, grocery stores and offices. Makes cleaning kitchens and restrooms a pleasant and easy task.

Disinfection: A single-step spray and wipe procedure does not disinfect surfaces. For disinfecting a pre-cleaning step is required using Sluff or any general-purpose cleaner. After the pre-cleaning step the surface must wetted with Sluff and allowed to remain wet for 10 minutes. When used as directed, this product demonstrates effective disinfection on pre-cleaned, hard, non-porous environmental surfaces against Staphylococcus aureus, Salmonella choleraesuis, and Pseudomonas aeruginosa, thus meeting requirements for hospital use. *As a virucide, kills HIV-1 (AIDS Virus), Influenza A3 (Hong Kong) and Herpes Simplex Virus Types 1 and 2 on environmental, inanimate, hard surfaces. See page 2 for the complete EPA approved directions.

Product Specifications:

ACTIVE INGREDIENTS:

o-Phenylphenol 0.10%

o-Benzyl-p-chlorophenol 0.08%

INERT INGREDIENTS* : 99.82%

*(includes surfactants and cleaners)

TOTAL: 100.00%

Wt./20oz. can: 20 ounces

Appearance: White foamy spray

Odor: Fresh and clean

pH: 12.5 - 13.0

Vapor Pressure At 70°F: 60 psig

Flammability: Not flammable per CPSC
Flame Projection Test



Sluff II.pub - 3/7/09

Complete Label copy of the EPA approved directions.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For use in hospitals, schools, hotels, motels, restaurants, and offices. Excellent for sick-room or kitchens. Leaves areas clean and fresh smelling. For disinfecting a pre-cleaning step is required. When used as directed, this product demonstrates effective disinfections on pre-cleaned, hard, non-porous environmental surfaces against *Staphylococcus aureus*, *Salmonella choleraesuis*, and *Pseudomonas aeruginosa*, thus meeting requirements for hospital use. *As a virucide, kills HIV-1 (AIDS Virus), Influenza A3 (Hong Kong) and Herpes Simplex Virus Types 1 and 2 on environmental, inanimate, hard surfaces.

If used on food surfaces, surfaces must be scrubbed with a detergent and rinsed with potable water before reusing.

TO CLEAN: Shake can before using. Hold can six to eight inches from surface to be cleaned. Spray area until covered with a white foam. Allow foam to penetrate and wipe off with a clean cloth, mop or sponge. No scrubbing is necessary. For heavily soiled areas, remove gross soil before using. This product will not leave grit or soap scum.

TO DISINFECT AND DEODORIZE PRE-CLEANED SURFACES: Follow directions as above and allow foam to penetrate and remain wet for 10 minutes. No scrubbing is necessary. Then wipe with a clean cloth, mop or sponge.

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

TO CONTROL MOLD AND MILDEW: On pre-cleaned hard non-porous surfaces (such as floors, walls, table tops) spray surfaces to be treated making sure to wet completely. Let air dry. Repeat application at weekly intervals or when mildew growth reappears.

* KILLS HIV-1 ON PRECLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings or other settings in which there is an expected likelihood of soiling on inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) ((associated with AIDS).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS: PERSONAL PROTECTION: Specific barrier protection items to be used when handling items soiled with blood or body fluids are disposable latex gloves, gowns, masks, or eye coverings. **CLEANING PROCEDURES:** Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this disinfectant. **DISPOSAL OF INFECTIOUS MATERIALS:** Blood and other body fluids should be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal. **CONTACT TIME:** Leave surfaces wet for 10 minutes at 25°C.